

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[nguyenvanhua1992@gmail.com](#) | [My Account](#) | [Sign out](#)

Google scholar

event\$ and client and application and server and

Search

[Advanced Scholar Search](#)

[Scholar Preferences](#)

Scholar [Articles and patents](#) [anytime](#) [include citations](#) Results **1 - 100** of about **6,660**. (0.41 sec)

Did you mean: [event\\$ and client](#) **and application** and server and (transmit or **communicate**) and (without or directly) and workstation

[A distributed graphics system for large tiled displays- psu.edu \[PDF\]](#)

G Humphreys, P Hanrahan - Proceedings of the conference on Visualization'99: ..., 1999 - portal.acm.org
... layers have had explicit redraw **event** requests, the master thread must send one draw **event** to each of ... The display **server** and the **client** application which ...

[Cited by 160](#) - [Related articles](#) - [All 25 versions](#)

[Implementing a Physician's Workstation using client/server technology and the distributed ... nih.gov \[PDF\]](#)

TQ Pham, CY Young, PC Tang, HJ Suermondt, ... - Proceedings of the Annual Symposium on Computer ..., 1994 - pubmedcentral.nih.gov

... architecture, facilities, capabilities, **and application** programming interface ... a DCE-based **event** service mechanism can interoperate with **client** programs from ...

[Cited by 1](#) - [Related articles](#) - [BL Direct](#) - [All 2 versions](#)

[..., data-object format and asynchronous communication methods without the use of a markup ...](#)

GP Patnude - US Patent App. 11/164,051, 2005 - Google Patents

... of a request and a **client** credential or ... Driver 127-A, the application **server** internally manages ... [0145] (4) Application configuration **and application** settings. ...

[All 2 versions](#)

[The interactive performance of SLIM: a stateless, thin-client architecture- psu.edu \[PDF\]](#)

BK Schmidt, MS Lam, JD Northcutt - Proceedings of the seventeenth ACM symposium on ..., 1999 - portal.acm.org

... memory to maintain environment state **and application** data, such ... however, must **transmit** all input **events** to a ... display performance of any thin-**client** system is ...

[Cited by 102](#) - [Related articles](#) - [BL Direct](#) - [All 59 versions](#)

[Distributed framework for intertask communication between workstation applications](#)

S Ahmed, SJ Dacic - US Patent 6,647,432, 2003 - Google Patents

... "XWindow Systems Programming **and Applications** with Xt ... application **without** routing that **event** information through ... display of the particular **client** application on ...

[Cited by 1](#) - [Related articles](#) - [All 2 versions](#)

[\[PS\] Measuring thin-client performance using slow-motion benchmarking](#)

SJ Yang, J Nieh, N Novik - usenix.org

... it ensures that display **events** reliably complete ... all thin-**client** platforms **and application** benchmarks that ... to **transmit**, resulting in the **client** sending fewer ...

[Cited by 66](#) - [Related articles](#) - [Cached](#) - [BL Direct](#) - [All 31 versions](#)

[PDF] [Integrating synchronous and asynchronous collaboration with virtual network computing](#)

SF Li, Q Stafford-Fraser, A Hopper · IEEE Internet Computing, 2000 - Citeseer

... key and mouse **events**, and image ... Nahrstedt, Multimedia: Computing, **Communications and Applications**, ISBN 0 ... Understanding Thin-Client/Server Computing, Microsoft ...

[Cited by 26](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 23 versions](#)

[Performance evaluation of client-server systems- ufpe.br](#) [PDF]

OC Ibe, H Choi, KS Trivedi · IEEE Transactions on Parallel and Distributed Systems, 1993 - doi.ieee.computersociety.org

... **client** is waiting to receive a reply from the **server**. ... if it is reached through tts,
or the **client** has no ... The timed transition tsp represents the **event** that the ...

[Cited by 39](#) - [Related articles](#) - [All 12 versions](#)

... for transmitting multimedia data from **and application logic server** to interactive multimedia ...

M Dudgeon, M Finley, T Tooley, J Wade · US Patent 5,790,792, 1998 · Google Patents

... FOR TRANSMITTING MULTIMEDIA DATA FROM **AND APPLICATION LOGIC SERVER** ... For MPEG data,
fee **client** simply receives fee raw ... fault tolerance when one **server** may fail. ...

[Cited by 8](#) - [Related articles](#) - [All 2 versions](#)

... apparatus to make **and transmit** objects from a database on a **server** computer to a **client** ...

M Williams · US Patent 6,591,272, 2003 · Google Patents

... 54) METHOD AND APPARATUS TO MAKE AND **TRANSMIT** OBJECTS FROM ... 12- **Server** or
High-Availability **Server** cluster (any ... UNIX or other non-PC **client**, **workstation** Kg., ...

[Cited by 17](#) - [Related articles](#) - [All 2 versions](#)

[PDF] [Collaborative MPEG-4 Contents Authoring, Presentation and Interaction in a Mobile ...](#)

SL Li, SW Kim, SK Kim · Parallel and Distributed Computing, Applications and ..., 2005 · woorisol.knu.ac.kr

... and **client** when the **server** message arrived ... Figure 7. Interaction diagram with **client**
event message ... Mobile Environments, " Multimedia Tools and Applications, vol ...

[Related articles](#) - [View as HTML](#) - [All 3 versions](#)

[PDF] [Low latency workstation cluster communications](#) using sender-based protocols

MR Swanson, LB Stoller · University of Utah, 1994 - Citeseer

... to RPC, while maintaining expected standards of system **and application** security
and ... As each **client** issues a request to the **server**, it waits ... sleep in the **event** ...

[Cited by 16](#) - [Related articles](#) - [View as HTML](#) - [All 6 versions](#)

[PDF] [A distributed location system for the active oce](#)

A Harter, A Hopper · IEEE network, 1994 - Citeseer

... network controllers is dynamic, **and application** specic servers ... detecting incompatibility
is **client** dependent, but ... of further button **events**, particularly those ...

[Cited by 448](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 14 versions](#)

[A flexible and recoverable client/server database event notification system- psu.edu](#) [PDF]

EN Hanson, IC Chen, R Dastur, K Engel, V ... - The VLDB Journal, 1998 - Springer

... styles of interaction between the active DBMS **server** and **application** programs: ... the
client and invalidates the registration for that **event** for that **client**. ...

[Cited by 6](#) - [Related articles](#) - [All 6 versions](#)

[Integrating audio and telephony in a distributed workstation environment- *kfupm.edu.sa \[PDF\]](#)

S Angebrannt, RL Hyde, DH Luong, N ... - In Proceedings of Summer 1991 USENIX Conference, ..., 1991 - eprints.kfupm.edu.sa

... the concepts of typed **server-side** entities (corresponding to devices) **and application** compositing of devices ... 3. **events** that notify the **client** of changes ...

[Cited by 24](#) - [Related articles](#) - [View as HTML](#) - [All 4 versions](#)

[Coda: A highly available file system for a distributed workstation environment- *psu.edu \[PDF\]](#)

M Sathyarayanan, JJ Kistler, P Kumar, ME ... - IEEE Transactions on computers, 1990 - doi.ieeeecomputersociety.org

... will satisfy the vast majority of users **and applications** in our ... preferred **server** de- tects lost callback **events** from it ... for the object at the first **client** to be ...

[Cited by 936](#) - [Related articles](#) - [All 48 versions](#)

[Communications management between client and server processes](#)

S Kapoor, GM Alvis, 1996 - freepatentsonline.com

... layer, transport layer, session layer, presentation layer **and application** layer. ... In the **event** that there is more than one ... in the case where a **client** and **server** ...

[All 2 versions](#)

[\[PDF\] MONET: A multimedia system for conferencing and application sharing in distributed ...](#)

K Srinivas, R Reddy, A Babadi, S Kamana, V ... - ... Center, West Virginia University, Morgantown, WV, 1992 - cerc.wvu.edu

... Conferencing **and Application** ... **Client** Identify Request ... We are currently designing hardware mechanisms for introducing and processing synchronization **events**. ...

[Cited by 31](#) - [Related articles](#) - [View as HTML](#)

[\[PDF\] DCE: An environment for secure client/server computing](#)

MM Kong · Hewlett-Packard Journal, 1995 - hpl.hp.com

... CDS, time, **and application** servers **and application** clients running ... 3 describes the flow of **events** that occur when ... remote procedure call, a **client** program must ...

[Cited by 9](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 5 versions](#)

[... displayed on a client and a software application component executing on a web server](#)

Z Wu, D Halls, R van der Linden · US Patent 6,766,333, 2004 · Google Patents

... However, having HTML developers **and application** developers working on ... software application object when the **event** occurs ... in **communication** with the **client** 10 over ...

[Related articles](#) - [All 4 versions](#)

[Design Considerations for Mobile Client-Server Database Applications- *jit.edu \[PDF\]](#)

WG Yee, SB Navathe · Lecture notes in computer science, 2002 · Springer

... are generated, and, in the **event** of bursty ... Journal Mobile Networks **and Applications**, 4:117-129 ... Considerations for Mobile **Client-Server** Database Applications ...

[Cited by 2](#) - [Related articles](#) - [BL Direct](#) - [All 5 versions](#)

[Decentralised approaches for network management- *psu.edu \[PDF\]](#)

M Kahani, HW Beadle · ACM SIGCOMM Computer **Communication** Review, 1997 · portal.acm.org

... by DCE, DME provides manageability and allows network components **and applications** to be ... **Client/Server** ... Instead, they take in **events**, alarms and alerts from mid ...

[Cited by 71](#) - [Related articles](#) - [BL Direct](#) - [All 12 versions](#)

Client-server system with central application management allowing an administrator to ...

KF Hayes Jr - US Patent 6,237,092, 2001 - Google Patents
... full qual'ed class of applet being configured) I 1014 Register as context change
event listener To ... 11 **Client** - Continued f From " V Fig 10) f **Server**- A V ...

[Cited by 10](#) - [Related articles](#) - [All 2 versions](#)

Shared data views for large-scale multimode environments

DM Dyer, DA Boley, AP Galluscio - US Patent 6,442,596, 2002 - Google Patents
... data with respect to views 1, 2, 3 and 4. This **directory** of data will be made available
to users and **applications** on the node ... 65 In **event** 116, **client** node 24 ...

[Related articles](#) - [All 2 versions](#)

[PDF] MediaADE: The MHEG-based distributed multimedia/hypermedia Application Development ...

SH Lee, CJ Wang - Proceedings of the World Conference on Educational ... 1996 - media.inhaic.ac.kr
... In addition, we locate DBMS and **application** that interface ... and methods for handling
any **events** that application ... MediaADE is a **client/server** environment and it ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#)

Distributed open inventor: A practical approach to distributed 3D graphics- [psu.edu](#) [PDF]

G Hesina, D Schmalstieg, A Fuhmann, W ... - Proceedings of the ACM symposium on Virtual reality ..., 1999 - portal.acm.org

... view of graphical and **application** specific data, and allows ... and passes a "press button"
event to the ... execute in such a hybrid **client/server** style requires ...

[Cited by 94](#) - [Related articles](#) - [All 11 versions](#)

Integrating information appliances into an interactive workspace

A Fox, B Johanson, P Hanrahan, T Winograd - IEEE Computer Graphics and Applications, 2000 - doi.ieeecomputersociety.org

... begin conducting interesting HCI and **applications** research in ... mechanisms, including
Active Messages, **client-server** remote procedure ... on top of the **event** heap if ...

[Cited by 249](#) - [Related articles](#) - [BI Direct](#) - [All 7 versions](#)

Printing to a client site from an application running on a remote server

LJ Anthony III, DA Kavanagh, 2004 - freepatentsonline.com

... Complex tasks and **applications** can tax the resources of a standard ... In such **event**,
browser 44 **transmits** a print executable request from **client** platform 36 ...

ClusterProbe: an open, flexible and scalable cluster monitoring tool- [psu.edu](#) [PDF]

Z Liang, Y Sun, CL Wang - Proc. IWCC - doi.ieeecomputersociety.org

... or subsystems except for the gardmon-**client**. ... The global **event** mechanism will also
be extended ... and Distributed Processing Techniques and Applications (DPPTA'99 ...

[Cited by 32](#) - [Related articles](#) - [All 17 versions](#)

Local printing of a document from a remote server application through a client proxy

III AJ LEONE, DA Kavanagh, 2004 - freepatentsonline.com

... Complex tasks and **applications** can tax the resources of a standard ... In such **event**,
browser 44 **transmits** a print executable request from **client** platform 36 ...

[All 3 versions](#)

[PDF] - A framework for control and observation in distributed environments

W Smith - NASA Advanced Supercomputing Division, NASA Ames ..., 2001 - Citeseer
... new sensors, new actuators, **and application**- specific components ... provide Java
implementations of **client** libraries so ... the standards for grid **event** services that ...

Cited by 27 - Related articles - View as HTML - All 10 versions

... unattended electronic information transport between a **server** and a **client** by a vendor ...

RR Reisman - US Patent 5,694,546, 1997 - Google Patents
... distribution drivers, utilities, applications **and application** modules ... Register" and
communications, the **client** or node ... system is primarily **server** 60 information ...

Cited by 66 - Related articles - All 2 versions

A graphical user interface toolkit approach to thin-**client** computing- [psu.edu](#) [PDF]

S Lok, SK Feiner, WM Chiong, YJ Hirsch - Proceedings of the 11th international conference on ..., 2002 - portal.acm.org
... enter a RMI URL to select a **server** and **application** to display ... of handling some **events**
locally on the **client** while transmitting other **events** to the ...

Cited by 8 - Related articles - All 16 versions

... for Caching **Client** Requests to an Application **Server** Based on the Application **Server's** ...

AF Downey, ME Peters, B Subramanian, R ... - US Patent App. 11/460,289, 2006 - Google Patents
... when the connection between web **server** and **application server** fails after ... after which
previously cached **client** requests in ... specific com- mand or **event**, such as ...

All 2 versions

Architecture **and applications** for a distributed embedded firewall- [acsa-admin.org](#) [PDF]

C Payne, T Markham - Statistical methods in computer security, 2005 - books.google.com
8 Architecture **and Applications** for a Distributed Embedded Firewall ... host may be a
client workstation, a **server** ... can be configured to generate an audit **event**. ...

Cited by 36 - Related articles - All 9 versions

U-Net: a user-level network interface for parallel and distributed computing (includes URL)- [psu.edu](#) [PDF]

T Von Eicken, A Basu, V Buch, W Vogels - Proceedings of the fifteenth ACM symposium on ..., 1995 - portal.acm.org
... Numerous **client/server** architectures are based on a RPC ... or 1.The terms "process"
and "application" are used ... The first one allows **event** driven reception ...

Cited by 750 - Related articles - BL Direct - All 57 versions

[book] An Introduction to **Client/Server** Computing

YS Chandra - books.google.com
... 141 7.2.5 Virtual Groups and **Event** Calls 142 ... Application **Server** provides an ORB **and**
application servers to ... **directly** from **server** ie **client** communicates **directly** ...

... export agent capability for retrofitting existing hardware **and applications** into the system

KF Hayes Jr - US Patent 6,108,712, 2000 - Google Patents
... CAPABILITY FOR RETROFITTING EXISTING HARDWARE **AND APPLICATIONS** INTO THE ... Register
as context change **event** listener (TO ... 11 **Client** - Continued)" From "\ V Fig 10 ...

Cited by 6 - Related articles - All 2 versions

[Integrated data communication and data access system including the application data ...](#)

P Jain, S Ahmed - US Patent 6,073,139, 2000 - Google Patents

... L 24c1(b) ITC **CLIENT** VERIFIES **EVENT** TOKEN; REGISTERS APPLICATION CALLBACK ,,
24c1(c) ITC **CLIENT** SENDS INTEREST OBJECT TO ITC **SERVER CLIENT** App1 24c1 ...

[Cited by 2](#) - [Related articles](#) - [All 2 versions](#)

[Application fault tolerance with Armor middleware](#)

Z Kalbarczyk, RK Iyer, L Wang - IEEE Internet Computing, 2005 - doi.ieeecomputersociety.org

... Sun **workstation** stores program executables and **application** input and ... the embedded armor) to **transmit events** from **client** ... When a **client** or service crashes while ...

[Cited by 22](#) - [Related articles](#) - [All 5 versions](#)

[\[PDF\] - A simple multiprocessor management system for event-parallel computing](#)

S Bracker, K Gounder, K Hendrix, D Summers - IEEE Transactions on Nuclear Science, 1996 - Citeseer

... Each **client** writes these counters onto its ... data reconstruction and **event** simulation problems ... RJ Harrison, "Portable Tools and Applications for ParallelComputers ...

[Cited by 65](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 12 versions](#)

[\[PDF\] - CIMBLE: Distributed Team Training via HLA](#)

DW Seidel, S Testani, E Wagner - SIMULATION-CALIFORNIA-, 1999 - Citeseer

... With the **client-server** architecture, all the functionality and **application** were more ... represents each scene by two separate federates: the **events** and story ...

[Cited by 4](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 5 versions](#)

[Client/server distribution of performance monitoring data](#)

A Baghai, K Gharakhanian, GK Ishimoto, ... - US Patent 5,905,868, 1999 - Google Patents

... US005905868A [ij] Patent Number: [45] Date of Patent: 5,905,868 May 18,1999 [54]

CLIENT/SERVER DISTRIBUTION OF PERFORMANCE MONITORING DATA [75] Inventors: Ali ...

[Cited by 17](#) - [Related articles](#) - [All 2 versions](#)

[Software agents and computer network security](#)

J Pikoulas, M Mannion, W Buchanan, UK ... - the 7th IEEE International Conference on the ..., 2000 - doi.ieeecomputersociety.org

... looking for statistical patterns of **events** for typical ... variety of operating systems and **application** programs. ... system but at each **client workstation**, there are ...

[Cited by 4](#) - [Related articles](#) - [All 5 versions](#)

[\[PDF\] - An accelerated remote graphics architecture for PDAS](#)

F Lamberti, C Zunino, A Sanna, A Fiume, M ... - Proc. the 8th international Conference on 3D Web ..., 2003 - Citeseer

... and by navigation pad and **application** buttons usage by ... manages to receive user interface **events** and rendering ... is forwarded also to another **client** running on ...

[Cited by 33](#) - [Related articles](#) - [View as HTML](#) - [All 3 versions](#)

[Apparatus and method for saving session variables on the server side of an on-line data ...](#)

N Gebauer - US Patent App. 09/189,816, 1998 - Google Patents

... Which Isolates Attributes of the **Client** and **Server** ... response as an isolated transaction **event** as defined ... appears to existing data bases and **applications** 12 as a ...

[Cited by 1](#) - [Related articles](#) - [All 4 versions](#)

Internet-based shared file service with native PC **client** access and semantics

RS Phillips, SH Davis, DJ Dietterich, SE ... - US Patent 7,053,696, 2006 - Google Patents
... group to operate an arbitrary **client** node at ... updated at the remote file **server** node. ...
Techniques for Reducing Consistency- Related **Communication** in Distributed ...
[Cited by 1](#) - [Related articles](#) - [All 4 versions](#)

Application of middleware in the three tier **client/server** database design methodology

J Fong, R Hui - Journal of the Brazilian Computer Society, 1999 - SciELO Brasil
... databases, it enables users **and application** programmers to ... up project information
for **client** process - at ... executed automatically when certain **event** happens, eg ...
[Cited by 1](#) - [Related articles](#) - [Cached](#) - [All 4 versions](#)

Interactive **communication** system permitting increased collaboration between users

AJ Simonoff - US Patent 6,463,460, 2002 - Google Patents
... active content, active hyperlinks, and text, and each of the **client** computers
transmits user-generated objects to the **server** computer for ...
[Cited by 7](#) - [Related articles](#) - [All 4 versions](#)

[book] Macromedia Flash **Communication Server MX**- [cfconf.org](#) [PDF]

K Towes, 2002 - books.google.com
... on both the **server** side and **client** side.You ... his wireless FlashForward 2002 NYC **Event**
Guide that ... of Answer Studios, a design **and application** development house ...
[Cited by 12](#) - [Related articles](#) - [All 5 versions](#)

JASMINE: Java application sharing in multiuser interactive environments- [psu.edu](#) [PDF]

A El Saddik, S Shirmohammadi, ND ... - Lecture notes in computer science, 2000 - Springer
... use almost all sin- gle-user applets **and applications** in a ... also observed that using
the TCP-**client-server** approach of ... or by sending all the **events** occurred up ...
[Cited by 12](#) - [Related articles](#) - [BI Direct](#) - [All 12 versions](#)

Console emulation for a graphics **workstation**

M Longo, SD DiPirro - US Patent 4,903,218, 1990 - Google Patents
... and runs either the VMS or ULTRIX operating system **and applications**. ... The console
client 300 acts next depends on its ... sor BVP Interface 61 to be **event** and error ...
[Cited by 32](#) - [Related articles](#) - [All 4 versions](#)

... apparatus for administering a **server** having a subsystem in **communication** with an **event** ...

TD Freeman, BJ Pedersen, DN Woodbury, A ... - US Patent 6,789,112, 2004 - Google Patents
... in communica- tion with an **event** bus ... user interface module corresponding to the **server**
subsystem, wherein ... cal user interface module **transmits** an administration ...
[Cited by 1](#) - [Related articles](#) - [All 2 versions](#)

[PDF] A distributed product realization environment for design and manufacturing.

JF Gerhard, D Rosen, JK Allen, F Mistree - Journal of Computing and Information Science in ..., 2001 - CiteSeer
... nature of the PRE data **and application** constructs re ... be distributed through the **client**,
commAgent, and ... 3.1 Experiment Two - **Event-Based Communications** Model For ...
[Cited by 36](#) - [Related articles](#) - [View as HTML](#) - [All 7 versions](#)

Secure **server** and method of operation for a distributed information system

RB Carroll - US Patent 6,105,131, 2000 - Google Patents

... 3 of this protocol, a user ("**client**") identifies itself ... access to secure vaults **and applications**; and FIG ... certificates after a predefined **event** occurs, resuming ...

Cited by 16 - Related articles - All 2 versions

[PDF] -U-net: A user-level network interface for parallel and distributed computing

A Basu, V Buch, W Vogels, T Von Eicken - Proc. of the 15th Symp. on Operating Systems ..., 1995 - Citeseer

... Numerous **client/server** architectures are ... allows U-Net to signal an asynchronous **event** to the ... on their way between the network **and application** data structures. ...

Cited by 163 - Related articles - View as HTML - All 3 versions

... system which **transmits** image information from a scanner over a network to a **client** ...

R Lo, K Lee, L Tremmel, D Stewart, IM Anzai - US Patent App. 09/325,971, 2001 - Google Patents

... **CLIENT TO SERVER WITH THE MACHINE NAME ATTACHED (SEE FIG.7K) -482 INSTRUCT USER AT CLIENT TO BEGIN SCANNING AT SERVER -484 486 TRANSMIT TERMINATE JOB ...**

Cited by 22 - Related articles - All 4 versions

[PDF] -The Zephyr notification service

CA DellaFera, MW Eichin, RS French, DC ... - USENIX Association Winter Conference 1988 ..., 1988 - Citeseer

... for use by network-based services **and applications** with a ... wide range of asynchronous service **events** that occur ... the **workstation** on which that **client** is supposed ...

Cited by 72 - Related articles - View as HTML - All 62 versions

[PDF] -Collaborative modeling with features

R Bidarra, E Van Den Berg, WF Bronsvoort - Proceedings of DET, 2001 - Citeseer

... fails, and the feature model at the **server** enters an ... is sent to that **client**, in order to allow him to ... they are notified as well of the **event**, although not ...

Cited by 57 - Related articles - View as HTML - All 11 versions

[PDF] -Analysis of Terminal **Server** Architectures for Thin Clients in a High Assurance Network

SR Balmer, CE Irvine - Proceedings of the National Information Systems ... - Citeseer

... in Figure 3. Many terminal/OS servers **and application** servers work to ... the **client** PCs for processing keyboard/mouse **events**, and graphical ... authenticated **client**. ...

Cited by 7 - Related articles - View as HTML - All 15 versions

[PDF] -An architecture for group **communications**-support networked multimedia applications

J Zissopoulos, J Soldatos, E Vayias, G Branis, ... - Performance Communication Systems, 1997.(HPCS'97 ..., 1997 - Citeseer

... **applications** that may be delivered to the end-user's ... not target at supporting large distributed **events**, where the ... that are established from every **client** to the ...

Cited by 1 - Related articles - View as HTML - All 7 versions

PRESERVING STATE INFORMATION **CLIENT-SERVER** SYSTEM NETWORKED VIA A ...

SK Golla, P Longsine, V Santoshi, 2009 - freepatentsonline.com

... to go backward using their http **client** and mutate ... 621 with their corresponding user ID 625 **and Application** ID 623. ... Each **event** is tagged with the time it occurred ...

[A comparison of application sharing mechanisms in real-time desktop conferencing systems](#)

SR Ahuja, JR Ensor, SE Lucco - ACM SIGOIS Bulletin, 1990 - portal.acm.org

... A conference **server** that executes as a **client** of a ... Messages between conference managers **and applications** and ... about four times the number of X **event** messages as ...

[Cited by 32](#) - [Related articles](#) - [All 2 versions](#)

[SSL virtual private networks](#)

A Harding - Computers & Security, 2003 - Elsevier

... support for most content types **and application** protocols use a ... or critical information in the **event** of a ... No **client**-side configuration is required, nor are ...

[Cited by 15](#) - [Related articles](#) - [All 3 versions](#)

[\[PDF\] Integrating Audio and Telephony in a Distributed Workstation Environment](#)

N Siravara, C Schmandt - Citeseer

... the concepts of typed **server**-side entities (corresponding to devices) **and application** compositing of devices ... 3. **events** that notify the **client** of changes ...

[View as HTML](#) - [All 5 versions](#)

[... a client system in conjunction with remote execution of the application program at a server ...](#)

A Kramer - US Patent App. 09/849,160, 2001 - Google Patents

... Edit View 260 286- 273 284 262 275 Help **Event** Target Dialog ... Often a user of the **client** system formulates and **transmits** queries to the **server** system through ...

[All 2 versions](#)

[Systems and methods for utilizing a communications network for providing mobile users ...](#)

RH Willis Jr, DR Jean, WL Harris - US Patent 6,738,815, 2004 - Google Patents

... computers, and an interface in **communications** with the ... to **Client** PC) Remote Messaging API **Client** Library 18 FIG ... Remote Messaging API V HAL **Server** Navigator Lib ...

[Cited by 1](#) - [Related articles](#) - [All 4 versions](#)

[Internet-based shared file service with native PC client access and semantics and ...](#)

RS Phillips, SH Davis, DJ Dieterich, SE ... - US Patent 7,136,903, 2006 - Google Patents

... System Support for Distributed Programming," **Communications** of the ACM ... v S104 / INVALID INVITATION **SERVER** CREATES A ... USER RECORD S110 / -S106 **CLIENT** MANAGER USES ...

[Related articles](#) - [All 2 versions](#)

[Tripwire: A synchronisation primitive for virtual memory mapped communication-](#) [psu.edu](#) [\[PDF\]](#)

D Riddoch, S Pope, D Roberts, G Mapp, D ... - 4th International Conference on Algorithms and ..., 2000 - books.google.com

... maintained in memory shared by the device driver **and application**. ... UDP protocol, and often implement the **client** side NFS. ... going to sleep if no **events** occur—so ...

[Cited by 10](#) - [Related articles](#) - [BL Direct](#) - [All 15 versions](#)

[\[PDF\] The DØ Experiment Significant Event System](#)

S Fuess, S Ahn, JF Bartlett, S Krzywdzinski, ... - Citeseer

... also been transmitted to another **client**, the Alarm ... The Significant **Event** System has been used ... hardware failures, network interruptions **and application** errors. ...

[Related articles](#) - [View as HTML](#) - [All 6 versions](#)

A survey on industrial **communication networks**

JD Decotignie, P Pleinevaux - Annals of telecommunications, 1993 - Springer

... CAM to manufacturing) and **communication** between terminals **and applications**. ... in the sense that the **Client** invo- kes ... data or start programs when an **event** occurs. ...

[Cited by 57](#) - [Related articles](#) - [BL Direct](#) - [All 2 versions](#)

[PDF] -Frame-buffer on demand: Applications of stateless **client** systems in web-based learning

S Li, Q Stafford-Fraser, A Hopper - 5th International Conference on Information Systems ..., 1999 - Citeseer

... via the hyperlinks, they can interactively share workspace **and applications** within that ... We compared our Stateless **Client** System with **event**-based systems ...

[Cited by 4](#) - [Related articles](#) - [View as HTML](#) - [All 8 versions](#)

Method simulating data traffic on network in accordance with a **client**/sewer paradigm

CF Hanes, CK Mick - US Patent 5,440,719, 1995 - Google Patents

... known or measured interactions between a **client** node running a particular application and a **server** node with ... generator to create discrete **events** mimicking the ...

[Cited by 26](#) - [Related articles](#) - [All 2 versions](#)

Intelligent VoIP System in Ad-Hoc Network with Embedded Pseudo SIP **Server**

L Chang, C Sung, S Chiu, J Liaw - Lecture Notes in Computer Science, 2008 - Springer

... the middleware between transport **and application** layers, was ... **client/server** infrastructure, this can be done by ... User-Agent: kphone/4.2 **Event**: registration Allow ...

[Related articles](#) - [All 2 versions](#)

Remote application publication and **communication** system

R Wewalaarachchi, LS Wijerathne, VS ... - US Patent 7,587,459, 2009 - Google Patents

... or as services and services **and applications** may both ... the 60 Internet with a thin-**client** such as ... that includes notification con- ditions, eg, **events** that must ...

[All 6 versions](#)

Methods for real-time deterministic delivery of multimedia data in a **client/server** system

MN Day, LW Russell, DE Wood, LYT Yeung - US Patent 5,941,951, 1999 - Google Patents

... gathering new details for programming on current **events**. ... 35 mation to individual users **and applications** at **client** ... from the network-connected **client** applications ...

[Cited by 6](#) - [Related articles](#) - [All 2 versions](#)

... computing system using pseudo **server** process to allow input from different **server** ...

DB Berkowitz, MC Hao, HC Lieu, FD Snow - US Patent 5,392,400, 1995 - Google Patents

... data flow in View Sharing; ing the team **and application** execution all ... invites must Also, WinColl receives replies and **events** from the ... looks like the **client**. ...

[Cited by 89](#) - [Related articles](#) - [All 2 versions](#)

Object oriented representation of network requests in a **client server** model

DD Heimsoth, GR Horn, M Sharma, LB Turner ... - US Patent 5,938,733, 1999 - Google Patents

... OF NETWORK REQUESTS IN A **CLIENT SERVER** MODEL [75 ... et al., "Extending the Statechart Formalism: **Event** Scheduling & ... an interface to a **communication** endpoint for a ...

[Cited by 8](#) - [Related articles](#) - [All 2 versions](#)

[Decoupled simulation in virtual reality with the MR toolkit- \[psu.edu\]\(#\) \[PDF\]](#)

C Shaw, M Green, J Liang, Y Sun - ACM Transactions on Information Systems (TOIS), 1993 - [portal.acm.org](#) ... 1992], are also servers that **communicate** with the renderer **server(s)**. The top level of VUE is an **event**-based UIMS that coordinates the input ...

[Cited by 167](#) - [Related articles](#) - [BL Direct](#) - [All 7 versions](#)

[Providing a **directory** of frequently used hyperlinks on a remote **server**](#)

PF King, BV Schwartz - US Patent 7,031,964, 2006 - Google Patents

... Lasser et al Systems and **Applications**, Dec. ... where **client** 1 is implemented as a HTTP **client**, device 11 ... **Events** may be initiated by a user through buttons 13, for ...

[Cited by 21](#) - [Related articles](#) - [All 4 versions](#)

[Using **events** to build distributed applications- \[ktupm.edu.sa\]\(#\) \[PDF\]](#)

J Bacon, J Bates, R Haydon, K Moody - Proc. 7th. ACM SIGOPS European Workshop, ..., 1996 - doi. [ieeecomputersociety.org](#)

... same way as for primitive **events**, a **client** routine ... need a registration to the external **server** take place ... pre-registering interest in the next **event** set before ...

[Cited by 81](#) - [Related articles](#) - [All 6 versions](#)

[Adapting to network and **client** variability via on-demand dynamic distillation- \[ktupm.edu.sa\]\(#\) \[PDF\]](#)

A Fox, SD Gribble, EA Brewer, E Amir - ACM SIGOPS Operating Systems Review, 1996 - [portal.acm.org](#)

... process located logically between the **client** and the **server**. ... Specific API's for delivery of such **events** are described in ... 3 depict end-to-end **client** latency for ...

[Cited by 426](#) - [Related articles](#) - [BL Direct](#) - [All 7 versions](#)

[Secure **server** architecture for Web based data management](#)

CY Devine, GA Shifrin, RW Shoulberg - US Patent App. 11/023,953, 2004 - Google Patents

... 2005/0114712 A1 - [Web Server/Dispatcher Communication Overview](#) from System Receives Response From System of **Eac Server** j WebS ... Manages **Client** Sessions. ...

[Cited by 12](#) - [Related articles](#) - [All 6 versions](#)

[\[CITATION\] VNC Service on Bluetooth Wireless Network](#)

R Xia, 2003

[Related articles](#) - [All 2 versions](#)

[Method and System for Importing an Application and **Server** Map to a Business Systems ...](#)

JJ Auvenshine, JC Blackburn, CJ Jacoby, EF ... - US Patent App. 11/381,241, 2006 - Google Patents

... During **server** and application development and deployment, the ... both local and remote **client/server** networks, providing a ... location where the **event** occurred that ...

[All 3 versions](#)

[Method and system for monitoring and dynamically reporting a status of a remote **server**](#)

BJ Casper, JH Dunn, SB Hirsch, BD Markee, ... - US Patent 6,505,248, 2003 - Google Patents

... STATUS OF THE REMOTE **SERVER** \r **TRANSMIT** THE GRAPHICAL ... for another computer (ie, a **client**) instead of ... both file **server** and compute **server** functions depending ...

[Cited by 2](#) - [Related articles](#) - [All 2 versions](#)

Method and system for automatically configuring a **client-server** network

JA Manukyan · US Patent App. 10/723,339, 2003 - Google Patents

... array of web-based services **and applications** offered by ... a **server** to provide services to a **client**. ... files to configure the hardware **and application** software to ...

[Cited by 2](#) - [Related articles](#) - [All 7 versions](#)

Parallel I/O network file **server** architecture

EJ Row, LB Boucher, WM Pitts, SE Blighman · US Patent App. 10/021,601, 2001 - Google Patents

... **Client** nodes use standard **communications** protocols to exchange service requests and responses with **server** nodes. ...

[Cited by 174](#) - [Related articles](#) - [All 8 versions](#)

... managing flow bandwidth utilization at network, transport **and application** layers in store ...

RL Packer · US Patent 6,285,658, 2001 - Google Patents

... 51 N QUERY FROM USER 25 **CLIENT** HTML OUTPUT TO ... BI TIME LOCAL TCP END POINT (**SERVER**) REMOTE TCP ... Bandwidth Utilization at Network, Transport **and Application** Layers ...

[Cited by 37](#) - [Related articles](#) - [All 4 versions](#)

Method and Apparatus for Syndicating Interactions Between a **Client** and a Web Service

SR Carrier, JR Hind, 2008 - freepatentsonline.com

... The "controller" responds to **events** performed by the ... 2 illustrates files **and applications** in a memory; ... metadata, allowing a computerized **client** to display ...

A structural view of the Cedar programming environment- "psu.edu [PDF]

DC Swinehart, PT Zellweger, RJ Beach, RB ... · ACM Transactions on Programming Languages and ..., 1986 - portal.acm.org

... including its com- ponents, tools, **and applications**; -the Cedar ... handshaking is required between a **client** and an ... I/O, and unpacking network **communication** packets ...

[Cited by 175](#) - [Related articles](#) - [All 14 versions](#)

... for converting a general purpose computer network into an interactive **communications** ...

AJ Simonoff · US Patent App. 09/296,746, 1999 - Google Patents

... Display object on White Board Upon Mouse Up **Event**, **Transmit** new object ... the associated HTML document is transferred from the **server** to the **client(s)**; several ...

[Cited by 2](#) - [Related articles](#) - [All 6 versions](#)

Method and system for efficient execution and rendering of **client/server** interactive ...

G Dharamshi, F Pepin, 2008 - freepatentsonline.com

... According to one embodiment, controller 392 may include business logic **and application** data. ... **Client** 110 includes **event** handling system 140 for ...

Networked video multimedia storage **server** environment

L Ludwig, WB Brown, NJ Yui, AT Vuong, RW ... · US Patent 6,816,904, 2004 - Google Patents

... 6,816,904 BI Figure 25 160 120- AVSM AVSC AVSS **CLIENT** ... AVNM: Analog AV net control Global **Directory** Services AV ... Videomail 'Conf recording MIME Mail **Server** A/V ...

[Cited by 5](#) - [Related articles](#) - [All 2 versions](#)

[PDF] - Implementation experiences in transparently harnessing cluster-wide memory

M Hines, M Lewandowski, J Wang, K Gopalan · Proc. of the International Symposium on Performance ... - Citeseer

... requested page, retrieves the page from that **server**, and **transmits**

it to the **client**. The memory engine also maintains ...

Cited by 3 - Related articles - View as HTML - All 6 versions

System and method for **directly** scheduling health care patient appointments

EA Rose · US Patent App. 10/903,105, 2004 · Google Patents

... **event** request from a requester via a **client** device. ... GUI) 132 that allows the requester

to **communicate** with scheduler 108 to schedule an **event** 104. ...

All 4 versions

[CITATION] AudioFile: A Network-Transparent System for Distributed

TM Levergood, AC Payne, J Gettys, GW ...

Related articles

... testing an application in a **client/server** database system using pseudo-database **server** ...

T Eto, T Yoshizawa, K Shiga · US Patent 5,561,763, 1996 · Google Patents

... 1, 1996 [54] METHOD AND APPARATUS FOR TESTING AN APPLICATION IN A **CLIENT/SERVER** DATABASE SYSTEM USING PSEUDO-DATABASE **SERVER** AND DEBUGGER PROCESSES [75 ...

Cited by 17 - Related articles - All 2 versions

[PDF] Design and implementation of important applications in a Java-based multimedia digital ...

KC Lee, KN Chang, SS Yu, IC Chang, CW ... · IEEE Transactions on Consumer Electronics, 1997 - Citeseer

... characteristics of platform transparency and **application** protocol integration ... TCP

connections for each **client** to **transmit** shared **events** and actions. ...

Cited by 8 - Related articles - View as HTML - BL Direct - All 11 versions

... and program product for providing a status of a transaction with an application on a **server**

MJ Osias · US Patent App. 10/606,985, 2003 · Google Patents

... 12 is transaction management system 26 and **application** 32. ... 26 includes **server** agent

28 and **client** code generator ... In any **event**, when user 40 wishes to interact ...

All 3 versions

Did you mean to search for: event\$ and client **and application** and server and (transmit or **communicate**) and (without or directly) and workstation

Google

Result Page:

1 2 3 4 5 6 7 8 9 10

Next

event\$ and client and application and

Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2009 Google